


Author Index of Volume 87

- | | | | |
|------------------------|-----------------------------|-------------------------|---------------------|
| Adrover, A. 275 | Gourdon, C. 11 | Martínez, I. 111 | Saha, P. 285 |
| Aguilar, R. 351 | Houi, D. 251 | Martínez-Guerra, R. 351 | Santini, M. 61 |
| Aguilera, M.E. 31 | | Matros, Yu.Sh. 73 | Seo, H.-K. 367 |
| | | McKenna, T.F. 89 | Shiraishi, F. 261 |
| Bernard-Michel, B. 135 | Ingemar Odenbrand, C.U. 207 | Mège, P. 41 | Sotelo, J.L. 111 |
| Bhatia, S. 49 | Iou, Q.-L. 197 | Mohamed, A.R. 49 | Sungpet, A. 321 |
| Björk, H. 381 | | | |
| | Jand, N. 61 | Nakano, K. 261 | Tadé, M.O. 285 |
| Cao, G. 239 | Jiraratananon, R. 321 | | To, K.L. 395 |
| Cerro, R.L. 31 | | Oliet, M. 157 | Toro, L. 275 |
| Chang, S. 121 | Karamanev, D.G. 129 | Orrù, R. 239 | Tye, C.T. 49 |
| Chianese, A. 187 | Koh, J.-H. 367 | Ovejero, G. 111 | |
| Cipriani, P. 187 | Krishna, R. 1 | | Vaidya, P.D. 403 |
| Cox, H.H.J. 101 | Künkel, C. 207 | Pagnanelli, F. 275 | Valeva, M.D. 21 |
| | Kunzru, D. 219 | Pan, C.L. 163 | Vigneswaran, S. 121 |
| Dehkordi, A.M. 227 | | Pant, K.K. 219 | Vivier, H. 135 |
| Delgado, J.A. 111 | Langrish, T.A.G. 301 | Parisi, M. 187 | Vlaev, S.D. 21 |
| Deshusses, M.A. 101 | Lau, N.T. 395 | Paschek, D. 1 | Vučak, M. 171 |
| Dewsbury, K.H. 129 | Lei, Z. 149 | Patnaik, P.R. 357 | |
| Ding, F. 181 | Leu, H.G. 163 | Perić, J. 171 | Wang, H. 149 |
| Duan, Z. 149 | Lim, H.C. 367 | Pimsert, A. 321 | Wang, L. 395 |
| | Lin, S.H. 163 | Pomès, V. 251 | Wang, S. 261 |
| Fane, A.G. 121 | Liu, Z. 181 | Pons, M.N. 135, 171 | Wang, T.-T. 197 |
| Fang, M. 395 | Looi, A.Y. 329 | Poznyak, A. 351 | Way, J.D. 321 |
| Fernández, A. 251 | López de Ramos, A.L. 31 | | Westerberg, B. 207 |
| Ferschneider, G. 41 | Lyddiatt, A. 313 | Qian, S. 395 | |
| Fletcher, D.F. 301 | | Quaresma, J.N.N. 339 | Yin, G. 181 |
| Foscolo, P.U. 61 | Ma, J. 395 | | Yoo, Y.-S. 367 |
| | Macêdo, E.N. 339 | Rangaiah, G.P. 285 | Yuan, N. 181 |
| Gallucci, K. 61 | Magno, R.N.O. 339 | Rasmuson, A. 381 | |
| García, J. 157 | Mahajani, V.V. 403 | Rhodes, M. 329 | Zagoruiko, A.N. 73 |
| Gilarranz, M.A. 157 | Makarytchev, S.V. 301 | Rito-Palomares, M. 313 | Zhan, J. 181 |
| Giona, M. 275 | Mann, R. 21 | Rodríguez, F. 157 | Zhou, R. 149 |
| Golonka, K. 329 | Margaritis, A. 129 | Romdhane, M. 11 | Žmikić, A. 171 |
| | Martin, C. 89 | | |



Subject Index of Volume 87

Acetic acid

- Insight into heterogeneous catalytic wet oxidation of phenol over a Ru/TiO₂ catalyst, 403

Activated carbon

- Adsorption of lindane from water onto GAC: effect of carbon loading on kinetic behavior, 111

Adsorption

- Impacts of the surface charge property on protein adsorption on hydroxyapatite, 181

Adsorption kinetics

- Adsorption of lindane from water onto GAC: effect of carbon loading on kinetic behavior, 111

After-treatment system

- Optimisation of a dosing strategy for an HC-SCR diesel exhaust after-treatment system, 207

Aqueous two-phase

- Process integration using aqueous two-phase partition for the recovery of intracellular proteins, 313

Barium sulphate

- Quantification, by image analysis, of effect of operational conditions on size and shape of precipitated barium sulphate, 135

Batch versus fed-batch fermentation

- Comparative evaluation of batch and fed-batch bioreactors for GAPDH production by recombinant *Escherichia coli* with distributed plasmid copy number, 357

Bead mill

- Process integration using aqueous two-phase partition for the recovery of intracellular proteins, 313

Biofilter

- Co-treatment of H₂S and toluene in a biotrickling filter, 101

Biotrickling filter

- Co-treatment of H₂S and toluene in a biotrickling filter, 101

Bovine serum albumin

- Impacts of the surface charge property on protein adsorption on hydroxyapatite, 181

Bubbling

- Experimental assessment of filtration of biomass with transverse and axial fibres, 121

n-Butanol

- Insight into heterogeneous catalytic wet oxidation of phenol over a Ru/TiO₂ catalyst, 403

C4

- Influence of salt added to solvent on extractive distillation, 149

CaCO₃

- A study of carbon dioxide absorption into aqueous monoethanolamine solution containing calcium nitrate in the gas–liquid reactive precipitation of calcium carbonate, 171

Calcium aluminate

- Catalytic pyrolysis of *n*-heptane on unpromoted and potassium promoted calcium aluminates, 219

ϵ -Caprolactam

- Purification of ϵ -caprolactam by means of a new dry-sweating technique, 187

Carbon dioxide

- A study of carbon dioxide absorption into aqueous monoethanolamine solution containing calcium nitrate in the gas–liquid reactive precipitation of calcium carbonate, 171

Carbonation

- A study of carbon dioxide absorption into aqueous monoethanolamine solution containing calcium nitrate in the gas–liquid reactive precipitation of calcium carbonate, 171

Catalysts

- Catalytic pyrolysis of *n*-heptane on unpromoted and potassium promoted calcium aluminates, 219

Cell disruption

- Process integration using aqueous two-phase partition for the recovery of intracellular proteins, 313

Centrifuge

- Purification of ϵ -caprolactam by means of a new dry-sweating technique, 187

Characteristic time

- Characteristic time determination for transport phenomena during the electrokinetic treatment of a porous medium, 251

Chlorinated aromatics

- Self-propagating reactions for environmental protection: state of the art and future directions, 239

2-Chlorophenol

- Equilibrium and mass transfer characteristics of 2-chlorophenol removal from aqueous solution by liquid membrane, 163

Claus process

- Mathematical modelling of Claus reactors undergoing sulfur condensation and evaporation, 73

Closed-form solution

- A closed-form solution of population-balance models for the dissolution of polydisperse mixtures, 275

CO₂ diffusion

- Enhanced CO₂ diffusion in wedges, 31

Coal gasification

- Application of coal gasification technology as a flue gas pre-conditioning step for the catalytic reduction of acid gases, 395

Competitive transport

- Facilitated transport of unsaturated hydrocarbons through crosslinked-poly(sulfonated styrene), 321

Computational fluid dynamics

- CFD analysis of spinning cone columns: prediction of unsteady gas flow and pressure drop in a dry column, 301

Copper

- A novel two-impinging-jets reactor for copper extraction and stripping processes, 227

Copper/LIX system

- A novel two-impinging-jets reactor for copper extraction and stripping processes, 227

Copy number variance

- Comparative evaluation of batch and fed-batch bioreactors for GAPDH production by recombinant *Escherichia coli* with distributed plasmid copy number, 357

- Core–annulus structure
Dilute gas–solid flow in a riser, 41
- Correlation effects
Verification of the Maxwell–Stefan theory for diffusion of three-component mixtures in zeolites, 1
- Crosslinked-poly(sulfonated styrene)
Facilitated transport of unsaturated hydrocarbons through crosslinked-poly(sulfonated styrene), 321
- Delignification
Solvent effects in autocatalyzed alcohol–water pulping. Comparative study between ethanol and methanol as delignifying agents, 157
- Design
Experimental assessment of filtration of biomass with transverse and axial fibres, 121
- Diffusion in wedge
Enhanced CO₂ diffusion in wedges, 31
- Dimensional analysis
Characteristic time determination for transport phenomena during the electrokinetic treatment of a porous medium, 251
- Dissolution
A closed-form solution of population-balance models for the dissolution of polydisperse mixtures, 275
- Drag coefficient
Rising solid sphere hydrodynamics at high Reynolds numbers in non-Newtonian fluids, 129
- Dry-sweating technique
Purification of ϵ -caprolactam by means of a new dry-sweating technique, 187
- Dynamics
A method for life cycle assessment environmental optimisation of a dynamic process exemplified by an analysis of an energy system with a superheated steam dryer integrated in a local district heat and power plant, 381
- Electrochemistry
Consideration of numerical simulation parameters and heat transfer models for a molten carbonate fuel cell stack, 367
- Electrokinetic
Characteristic time determination for transport phenomena during the electrokinetic treatment of a porous medium, 251
- Electroremediation
Characteristic time determination for transport phenomena during the electrokinetic treatment of a porous medium, 251
- Energy
Consideration of numerical simulation parameters and heat transfer models for a molten carbonate fuel cell stack, 367
- Energy system
A method for life cycle assessment environmental optimisation of a dynamic process exemplified by an analysis of an energy system with a superheated steam dryer integrated in a local district heat and power plant, 381
- Environmental design
A method for life cycle assessment environmental optimisation of a dynamic process exemplified by an analysis of an energy system with a superheated steam dryer integrated in a local district heat and power plant, 381
- Equilibrium relation
Equilibrium and mass transfer characteristics of 2-chlorophenol removal from aqueous solution by liquid membrane, 163
- Ethanol
Solvent effects in autocatalyzed alcohol–water pulping. Comparative study between ethanol and methanol as delignifying agents, 157
- Ethanol–water
Influence of salt added to solvent on extractive distillation, 149
- Ethylene
Modeling of catalytic reactor for oxidative coupling of methane using La₂O₃/CaO catalyst, 49
- Eucalyptus globulus*
Solvent effects in autocatalyzed alcohol–water pulping. Comparative study between ethanol and methanol as delignifying agents, 157
- European transient cycle
Optimisation of a dosing strategy for an HC-SCR diesel exhaust after-treatment system, 207
- Extractive distillation
Influence of salt added to solvent on extractive distillation, 149
- Extractor
Investigation in solid–liquid extraction: influence of ultrasound, 11
- Facilitated transport membranes
Facilitated transport of unsaturated hydrocarbons through crosslinked-poly(sulfonated styrene), 321
- Fibre membrane
Experimental assessment of filtration of biomass with transverse and axial fibres, 121
- Fibre orientation
Experimental assessment of filtration of biomass with transverse and axial fibres, 121
- Filament rise
Enhanced CO₂ diffusion in wedges, 31
- Fixed bed catalytic reactor
Modeling of catalytic reactor for oxidative coupling of methane using La₂O₃/CaO catalyst, 49
- Flue gas
Application of coal gasification technology as a flue gas pre-conditioning step for the catalytic reduction of acid gases, 395
- Fluidised bed reactors
Cold model characterisation of a fluidised bed catalytic reactor by means of instantaneous pressure measurements, 61
- Formic acid
A synergistic effect of photocatalysis and ozonation on decomposition of formic acid in an aqueous solution, 261
- Four-stage evaporator system
Nonlinear model predictive control of an industrial four-stage evaporator system via simulation, 285
- Free rise
Rising solid sphere hydrodynamics at high Reynolds numbers in non-Newtonian fluids, 129
- Fuel cell
Consideration of numerical simulation parameters and heat transfer models for a molten carbonate fuel cell stack, 367
- GAPDH
Comparative evaluation of batch and fed-batch bioreactors for GAPDH production by recombinant *Escherichia coli* with distributed plasmid copy number, 357
- Gas hold-up
Some effects of rheology on the spatial distribution of gas hold-up in a mechanically agitated vessel, 21
- Gas–liquid–solid (precipitation, crystallization)
A study of carbon dioxide absorption into aqueous monoethanolamine solution containing calcium nitrate in the gas–liquid reactive precipitation of calcium carbonate, 171
- Gas–solid flow
Dilute gas–solid flow in a riser, 41
- Glyceraldehyde 3-phosphate dehydrogenase
Process integration using aqueous two-phase partition for the recovery of intracellular proteins, 313
- Halides
The solvent effect and the structural effect of halides on the quaternization $\text{Et}_3\text{N} + \text{RX} \rightarrow \text{Et}_3\text{RNX}$, 197

- Heat transfer
Particle morphology and transport phenomena in olefin polymerisation, 89
Consideration of numerical simulation parameters and heat transfer models for a molten carbonate fuel cell stack, 367
- n*-Heptane
Catalytic pyrolysis of *n*-heptane on unpromoted and potassium promoted calcium aluminates, 219
- H₂S
Co-treatment of H₂S and toluene in a biotrickling filter, 101
- Hydrodynamics
Rising solid sphere hydrodynamics at high Reynolds numbers in non-Newtonian fluids, 129
- Hydrogen sulphide
Mathematical modelling of Claus reactors undergoing sulfur condensation and evaporation, 73
- Hydrometallurgical wastes
Self-propagating reactions for environmental protection: state of the art and future directions, 239
- Hydroquinone
Insight into heterogeneous catalytic wet oxidation of phenol over a Ru/TiO₂ catalyst, 403
- Hydroxyapatite
Impacts of the surface charge property on protein adsorption on hydroxyapatite, 181
- Image analysis
Quantification, by image analysis, of effect of operational conditions on size and shape of precipitated barium sulphate, 135
- Impingement zone
A novel two-impinging-jets reactor for copper extraction and stripping processes, 227
- Impinging jets
A novel two-impinging-jets reactor for copper extraction and stripping processes, 227
- Impinging streams
A novel two-impinging-jets reactor for copper extraction and stripping processes, 227
- Integral transform
Solutions for the internal boundary layer equations in simultaneously developing flow of power-law fluids within parallel plates channels, 339
- Intracellular proteins
Process integration using aqueous two-phase partition for the recovery of intracellular proteins, 313
- Kinetic Monte Carlo simulations
Verification of the Maxwell–Stefan theory for diffusion of three-component mixtures in zeolites, 1
- Kinetics
Impacts of the surface charge property on protein adsorption on hydroxyapatite, 181
- Langmuir–Hinshelwood type
A synergistic effect of photocatalysis and ozonation on decomposition of formic acid in an aqueous solution, 261
- Lanthanum oxysulfide
Application of coal gasification technology as a flue gas pre-conditioning step for the catalytic reduction of acid gases, 395
- Life cycle assessment
A method for life cycle assessment environmental optimisation of a dynamic process exemplified by an analysis of an energy system with a superheated steam dryer integrated in a local district heat and power plant, 381
- Lignite
Drying kinetics of single porous particles in superheated steam under pressure, 329
- Lindane
Adsorption of lindane from water onto GAC: effect of carbon loading on kinetic behavior, 111
- Liquid membrane
Equilibrium and mass transfer characteristics of 2-chlorophenol removal from aqueous solution by liquid membrane, 163
- Liquid–liquid extraction
A novel two-impinging-jets reactor for copper extraction and stripping processes, 227
- Mass transfer
Particle morphology and transport phenomena in olefin polymerisation, 89
- Mass transfer model
Equilibrium and mass transfer characteristics of 2-chlorophenol removal from aqueous solution by liquid membrane, 163
- Mathematical modelling
Mathematical modelling of Claus reactors undergoing sulfur condensation and evaporation, 73
- Maxwell–Stefan theory
Verification of the Maxwell–Stefan theory for diffusion of three-component mixtures in zeolites, 1
- MCFC
Consideration of numerical simulation parameters and heat transfer models for a molten carbonate fuel cell stack, 367
- MEA
A study of carbon dioxide absorption into aqueous monoethanolamine solution containing calcium nitrate in the gas–liquid reactive precipitation of calcium carbonate, 171
- Melt down
Particle morphology and transport phenomena in olefin polymerisation, 89
- Methanol
Solvent effects in autocatalyzed alcohol–water pulping. Comparative study between ethanol and methanol as delignifying agents, 157
- Microfiltration
Experimental assessment of filtration of biomass with transverse and axial fibres, 121
- Mixing
Some effects of rheology on the spatial distribution of gas hold-up in a mechanically agitated vessel, 21
- Mixture diffusion
Verification of the Maxwell–Stefan theory for diffusion of three-component mixtures in zeolites, 1
- Model predictive control
Nonlinear model predictive control of an industrial four-stage evaporator system via simulation, 285
- Modeling
Modeling of catalytic reactor for oxidative coupling of methane using La₂O₃/CaO catalyst, 49
Cold model characterisation of a fluidised bed catalytic reactor by means of instantaneous pressure measurements, 61
- Morphology
Particle morphology and transport phenomena in olefin polymerisation, 89
Quantification, by image analysis, of effect of operational conditions on size and shape of precipitated barium sulphate, 135
- Nitric oxide
Application of coal gasification technology as a flue gas pre-conditioning step for the catalytic reduction of acid gases, 395
- NO_x reduction
Optimisation of a dosing strategy for an HC-SCR diesel exhaust after-treatment system, 207
- Noisy measurements
Reaction heat estimation in continuous chemical reactors using high gain observers, 351

- Nonlinear control**
Nonlinear model predictive control of an industrial four-stage evaporator system via simulation, 285
- Non-Newtonian flow**
Some effects of rheology on the spatial distribution of gas hold-up in a mechanically agitated vessel, 21
- Non-Newtonian liquids**
Rising solid sphere hydrodynamics at high Reynolds numbers in non-Newtonian fluids, 129
- Numerical analysis**
Consideration of numerical simulation parameters and heat transfer models for a molten carbonate fuel cell stack, 367
- Odor**
Co-treatment of H₂S and toluene in a biotrickling filter, 101
- Olefin polymerisation**
Particle morphology and transport phenomena in olefin polymerisation, 89
- Open-loop unstable process**
Nonlinear model predictive control of an industrial four-stage evaporator system via simulation, 285
- Operational conditions**
Quantification, by image analysis, of effect of operational conditions on size and shape of precipitated barium sulphate, 135
- Opposed jets**
A novel two-impinging-jets reactor for copper extraction and stripping processes, 227
- Organosolv pulping**
Solvent effects in autocatalyzed alcohol–water pulping. Comparative study between ethanol and methanol as delignifying agents, 157
- Oxidative coupling of methane**
Modeling of catalytic reactor for oxidative coupling of methane using La₂O₃/CaO catalyst, 49
- Ozonation**
A synergistic effect of photocatalysis and ozonation on decomposition of formic acid in an aqueous solution, 261
- Phenol**
Insight into heterogeneous catalytic wet oxidation of phenol over a Ru/TiO₂ catalyst, 403
- Photocatalysis**
A synergistic effect of photocatalysis and ozonation on decomposition of formic acid in an aqueous solution, 261
- Poly(pyrrole)**
Facilitated transport of unsaturated hydrocarbons through crosslinked-poly(sulfonated styrene), 321
- Population-balance equations**
A closed-form solution of population-balance models for the dissolution of polydisperse mixtures, 275
- Potassium carbonate**
Catalytic pyrolysis of *n*-heptane on unpromoted and potassium promoted calcium aluminates, 219
- ζ-Potential**
Impacts of the surface charge property on protein adsorption on hydroxyapatite, 181
- POTW**
Co-treatment of H₂S and toluene in a biotrickling filter, 101
- Power-law fluids**
Solutions for the internal boundary layer equations in simultaneously developing flow of power-law fluids within parallel plates channels, 339
- Precipitation**
Quantification, by image analysis, of effect of operational conditions on size and shape of precipitated barium sulphate, 135
- Pressure**
Drying kinetics of single porous particles in superheated steam under pressure, 329
- Pressure fluctuations**
Cold model characterisation of a fluidised bed catalytic reactor by means of instantaneous pressure measurements, 61
- Process integration**
Process integration using aqueous two-phase partition for the recovery of intracellular proteins, 313
- Protein recovery**
Process integration using aqueous two-phase partition for the recovery of intracellular proteins, 313
- Pulsations**
CFD analysis of spinning cone columns: prediction of unsteady gas flow and pressure drop in a dry column, 301
- Pyrethrum flower**
Investigation in solid–liquid extraction: influence of ultrasound, 11
- Pyrolysis**
Catalytic pyrolysis of *n*-heptane on unpromoted and potassium promoted calcium aluminates, 219
- Quaternization**
The solvent effect and the structural effect of halides on the quaternization $\text{Et}_3\text{N} + \text{RX} \rightarrow \text{Et}_3\text{RNX}$, 197
- Radioactive wastes**
Self-propagating reactions for environmental protection: state of the art and future directions, 239
- Recombinant fermentation**
Comparative evaluation of batch and fed-batch bioreactors for GAPDH production by recombinant *Escherichia coli* with distributed plasmid copy number, 357
- Relative volatilities at infinite dilution**
Influence of salt added to solvent on extractive distillation, 149
- Reverse-flow operation**
Mathematical modelling of Claus reactors undergoing sulfur condensation and evaporation, 73
- Riser**
Dilute gas–solid flow in a riser, 41
- Robustness**
Reaction heat estimation in continuous chemical reactors using high gain observers, 351
- Self-propagating reactions**
Self-propagating reactions for environmental protection: state of the art and future directions, 239
- Silicon sludge**
Self-propagating reactions for environmental protection: state of the art and future directions, 239
- Simultaneously developing laminar flow**
Solutions for the internal boundary layer equations in simultaneously developing flow of power-law fluids within parallel plates channels, 339
- Single particle**
Drying kinetics of single porous particles in superheated steam under pressure, 329
- Soil remediation**
Characteristic time determination for transport phenomena during the electrokinetic treatment of a porous medium, 251
- Solid sphere**
Rising solid sphere hydrodynamics at high Reynolds numbers in non-Newtonian fluids, 129
- Solid–liquid extraction**
Investigation in solid–liquid extraction: influence of ultrasound, 11
- Solvent effect**
The solvent effect and the structural effect of halides on the quaternization $\text{Et}_3\text{N} + \text{RX} \rightarrow \text{Et}_3\text{RNX}$, 197

Spinning cone distillation column

CFD analysis of spinning cone columns: prediction of unsteady gas flow and pressure drop in a dry column, 301

SPME

Adsorption of lindane from water onto GAC: effect of carbon loading on kinetic behavior, 111

Steam drying

Drying kinetics of single porous particles in superheated steam under pressure, 329

Streamfunction formulation

Solutions for the internal boundary layer equations in simultaneously developing flow of power-law fluids within parallel plates channels, 339

Structural effect

The solvent effect and the structural effect of halides on the quaternization $\text{Et}_3\text{N} + \text{RX} \rightarrow \text{Et}_3\text{RNX}$, 197

Sulfur

Mathematical modelling of Claus reactors undergoing sulfur condensation and evaporation, 73

Sulfur condensation

Mathematical modelling of Claus reactors undergoing sulfur condensation and evaporation, 73

Sulfur dioxide

Application of coal gasification technology as a flue gas pre-conditioning step for the catalytic reduction of acid gases, 395

Sustained disturbances

Reaction heat estimation in continuous chemical reactors using high gain observers, 351

Synergistic effect

A synergistic effect of photocatalysis and ozonation on decomposition of formic acid in an aqueous solution, 261

Triethylamine

The solvent effect and the structural effect of halides on the quaternization $\text{Et}_3\text{N} + \text{RX} \rightarrow \text{Et}_3\text{RNX}$, 197

Ultrasound

Investigation in solid–liquid extraction: influence of ultrasound, 11

Uncertainty observer

Reaction heat estimation in continuous chemical reactors using high gain observers, 351

Vapor–liquid equilibria

Influence of salt added to solvent on extractive distillation, 149

VOC

Co-treatment of H_2S and toluene in a biotrickling filter, 101

W/O emulsion

Equilibrium and mass transfer characteristics of 2-chlorophenol removal from aqueous solution by liquid membrane, 163

Waste air treatment

Co-treatment of H_2S and toluene in a biotrickling filter, 101

Wastewater treatment

Insight into heterogeneous catalytic wet oxidation of phenol over a Ru/TiO_2 catalyst, 403

Wet oxidation

Insight into heterogeneous catalytic wet oxidation of phenol over a Ru/TiO_2 catalyst, 403

Woad seeds

Investigation in solid–liquid extraction: influence of ultrasound, 11

Zeolites

Verification of the Maxwell–Stefan theory for diffusion of three-component mixtures in zeolites, 1

